

SAFETY DATA SHEET

# Arc Premium Plasticiser

SECTION 1: Identification of the substance/mixture and of the company/undertaking

	er (UFI) 9SF s of the substance or mixture and uses advised against of the substance or mixture Construction Work
Sectors of use	Description
SU 19	Building and construction work
Process category	Description
PROC 19	Hand-mixing with intimate contact and only PPE available
Y14 A370 Arklow, Co. Ireland Phone +353 (0)402 32 Fax +353 (0)402 2416 www.arcbuildingproc E-mail sales@arcbuildingproc Revision 07/12/2023 SDS Version 1.0 1.4. Emergency telephone of The National Poisons Inf Public: +353 (0) 1 809 210	ts hology Park, Ballynattin . Wicklow 2370 8 ducts.ie boducts.ie
See also section 4 "First a SECTION 2: Hazards identi	
2.1. Classification of the sul	tegulation (EC) No. 1272/2008 (CLP). bstance or mixture

Skin Sens. 1; H317, May cause an allergic skin reaction.

## 2.2. Label elements

Hazard pictogram(s)





Signal word Warning
Hazard statement(s)
May cause an allergic skin reaction. (H317)
Precautionary statement(s)
General
If medical advice is needed, have product container or label at hand. (P101) Keep out of reach of children. (P102)
Prevention
Avoid breathing mist/vapour. (P261)
Wear eye protection/protective gloves/protective clothing. (P280)
Response IF ON SKIN: Wash with plenty of water and soap. (P302+P352) If skin irritation or rash occurs: Get medical advice/attention. (P333+P313) Take off contaminated clothing and wash it before reuse. (P362+P364)
Storage
-
Disposal
Dispose of contents/container in accordance with local regulation (P501)
Hazardous substances
2-methylisothiazol-3(2H)-one
Additional labelling
UFI: H6QN-08U0-R10M-H9SF
2.3. Other hazards
Additional warpings

## Additional warnings

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

## 3.1. Substances

Not applicable. This product is a mixture.

3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Sulfonic acids, C14-16 (even numbered)-alkane hydroxy and C14-16 (even numbered)- alkene, sodium salts	CAS No.: 68439-57-6 EC No.: 931-534-0 REACH: 01-2119513401-57-XXXX Index No.:	1-3%	Skin Irrit. 2, H315 (SCL: 5.00 %) Eye Dam. 1, H318 (SCL: 38.00 %) Eye Irrit. 2, H319 (SCL: 5.00 %)	[19]
2-methylisothiazol-3(2H)-one	CAS No.: 2682-20-4 EC No.: 220-239-6 REACH: 01-2120764690-50-XXXX Index No.: 613-326-00-9	<0.01%	EUH071 Acute Tox. 3, H301 Acute Tox. 3, H311 Skin Corr. 1B, H314 Skin Sens. 1A, H317 (SCL: 0.0015 %) Acute Tox. 2, H330 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=1)	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

## Other information

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

## SECTION 4: First aid measures

4.1. Description of first aid measures



#### General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

#### Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

## Skin contact

IF ON SKIN: Wash with plenty of water and soap.

Remove contaminated clothing and shoes. Ensure to wash exposed skin thoroughly with water and soap. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

#### Eye contact

If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Remove contact lenses. Seek medical assistance and continue flushing during transport.

#### Ingestion

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink.

In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

#### Burns

Not applicable.

## 4.2. Most important symptoms and effects, both acute and delayed

Sensitisation: This product contains substances, which may trigger allergic reaction upon dermal contact. Manifestation of allergic reactions typically takes place within 12-72 hours after exposure.

#### 4.3. Indication of any immediate medical attention and special treatment needed

If skin irritation or rash occurs: Get medical advice/attention.

#### Information to medics

Bring this safety data sheet or the label from this product.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Not applicable.

## 5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

## 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact the National Poisons Information Centre (NPIC) on +353 (0) 1 809 256 (24 h service) in order to obtain further advice.

SECTION 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures Avoid direct contact with spilled substances.

Contaminated areas may be slippery.

## 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

Keep unauthorized persons away from the spill

## 6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

## 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.



SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

#### 7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material Keep only in original packaging.

Storage temperature

5 - 30°C

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

#### 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No substances are listed in the "List of Chemical Agents and Occupational Exposure Limit Values" with an occupational exposure limit.

#### DNEL

Sulfonic acids, C14-16 (even numbered)-alkane hydroxy and C14-16 (even numbered)-alkene, sodium salts

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	1295 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	2158.33 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	45.04 mg/m <sup>3</sup>
Long term – Systemic effects - Workers	Inhalation	152.22 mg/m <sup>3</sup>
Long term – Systemic effects - General population	Oral	12.95 mg/kg bw/day

#### PNEC

Sulfonic acids, C14-16 (even numbered)-alkane hydroxy and C14-16 (even numbered)-alkene, sodium salts

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		24 µg/L
Freshwater sediment		767 µg/kg
Intermittent release (freshwater)		19.7 µg/L
Marine water		2.4 μg/L
Marine water sediment		76.7 µg/kg
Sewage treatment plant		4 mg/L
Soil		1.21 mg/kg

## 8.2. Exposure controls

Control is unnecessary if the product is used as intended.

## General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

#### **Exposure scenarios**

There are no exposure scenarios implemented for this product.

## **Exposure limits**

Occupational exposure limits have not been defined for the substances in this product.

## Appropriate technical measures

Apply standard precautions during use of the product. Avoid inhalation of vapours.

## Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.



Generally Use only CE marked Respiratory Equipment No specific requirer Skin protection	nents			
Recommended	Type/Category	Standards	;	
Dedicated work clothing should be worn.	-	-		R
Hand protection				
Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Gloves	-	-	EN374	
Eye protection				
Туре	Standards			
Safety glasses	EN166			$\overline{\bullet}$
9.1. Information on basic Physical state	physical and chemical pro	perties		
Physical state Liquid Colour Brown Odour / Odour thresho None pH 7 Density (g/cm <sup>3</sup> ) 1.01 Kinematic viscosity	ld : or not possible due to th quids.			



Flammability (°C)	it or not possible due to the nature of the product.
Auto-ignition tempera Testing not relevar	ture (°C) It or not possible due to the nature of the product.
Lower and upper expl Testing not relevar	osion limit (% v/v) It or not possible due to the nature of the product.
Solubility	
-	t or not possible due to the nature of the product.
-	cient (LogKow) it or not possible due to the nature of the product.
-	t or not possible due to the nature of the product.
9.2. Other information Other physical and ch	emical parameters
No data available. Oxidizing properties	
	it or not possible due to the nature of the product.
SECTION 10: Stability an	d reactivity
<ul> <li>10.3. Possibility of hazard None known.</li> <li>10.4. Conditions to avoid None known.</li> <li>10.5. Incompatible mater Strong acids, strong b</li> <li>10.6. Hazardous decomp</li> </ul>	rials ases, strong oxidizing agents, and strong reducing agents.
SECTION 11: Toxicologic	al information
11.1. Information on haz Acute toxicity	ard classes as defined in Regulation (EC) No 1272/2008
Product/substance	Sulfonic acids, C14-16 (even numbered)-alkane hydroxy and C14-16 (even numbered)-alkene, sodium salts
Species: Test:	Rat LD50
Result:	2079.0 mg/kg
Product/substance	Sulfonic acids, C14-16 (even numbered)-alkane hydroxy and C14-16 (even numbered)-alkene, sodium

Sulfonic acids, C14-16 (even numbered)-alkane hydroxy and C14-16 (even numbered)-alkene, sodium

Species:

. Test:

Result:

Species:

Test:

Result:

Product/substance

Skin corrosion/irritation

salts

Rabbit

6300 mg/kg

LD50

salts

LC50

53 mg/L

Based on available data, the classification criteria are not met.

Rat



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878
Serious eye damage/irritation Based on available data, the classification criteria are not met. Respiratory sensitisation
Based on available data, the classification criteria are not met.
Skin sensitisation May cause an allergic skin reaction.
Germ cell mutagenicity Based on available data, the classification criteria are not met.
Carcinogenicity Based on available data, the classification criteria are not met.
Reproductive toxicity Based on available data, the classification criteria are not met.
STOT-single exposure Based on available data, the classification criteria are not met.
STOT-repeated exposure Based on available data, the classification criteria are not met.
Aspiration hazard Based on available data, the classification criteria are not met.
11.2. Information on other hazards Long term effects
None known.
Endocrine disrupting properties This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.
Other information None known.
SECTION 12: Ecological information
12.1. Toxicity         No data available.         12.2. Persistence and degradability         No data available.         12.3. Bioaccumulative potential         Product/substance       2-methylisothiazol-3(2H)-one         Potential bioaccumulation:       No data available.         LogKow:       0.32         BCF:       3.16
12.4. Mobility in soil No data available. 12.5. Results of PBT and vPvB assessment
<ul> <li>This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.</li> <li>12.6. Endocrine disrupting properties         This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.     </li> </ul>
12.7. Other adverse effects None known.
SECTION 13: Disposal considerations
<ul> <li>13.1. Waste treatment methods <ul> <li>Product is not covered by regulations on dangerous waste.</li> <li>Dispose of contents/container to an approved waste disposal plant.</li> <li>Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste.</li> <li>EWC code <ul> <li>Not applicable.</li> </ul> </li> </ul></li></ul>
Contaminated packing Packaging containing residues of the product must be disposed of similarly to the product.



## SECTION 14: Transport information

	14.1 UN / I	14.2 D UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	-	-	-	-	-	-
MDG	-	-	-	-	-	-
ATA	-	-	-	-	-	-
Addition Not of 14.6. Sp Not a 14.7. M	nmenta nal infor dangerc pecial pr applicab	ous goods according to ADR, IATA a recautions for user ole. transport in bulk according to IMO				
SECTIC	DN 15: R	egulatory information				
Resti Pem N SEVE N REAC A Addi N Sour P C C R C R R R	rictions eople un ands fo lo specif SO - Cat lot appli CH, Anno rc Prem tional in lot appli ces rotectio ommiss egulatic assifica egulatic egistrat	ex XVII ium Plasticiser is subject to REACH iformation	osed to this product. restrictions, REACH annex XVII (e Act, 1996 of 18 December 2014 on waste. an Parliament and of the Council ostances and mixtures (CLP). an Parliament and of the Council	entry 3). of 16 Decemb of 18 Decemb	er 2008	
SECTIO	ON 16: C	other information				
EUH	071, Cor	nrases as mentioned in section 3 rosive to the respiratory tract. if swallowed.				

- H311, Toxic in contact with skin.
- H314, Causes severe skin burns and eye damage.
- H315, Causes skin irritation.
- H317, May cause an allergic skin reaction.
- H318, Causes serious eye damage.
- H319, Causes serious eye irritation.
- H330, Fatal if inhaled.
- H400, Very toxic to aquatic life.

H410, Very toxic to aquatic life with long lasting effects.

The full text of identified uses as mentioned in section 1

SU 19 = Building and construction work

PROC 19 = Hand-mixing with intimate contact and only PPE available



Abbreviations and acronyms ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road ATE = Acute Toxicity Estimate **BCF** = Bioconcentration Factor CAS = Chemical Abstracts Service CE = Conformité Européenne (European conformity) CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] CSA = Chemical Safety Assessment CSR = Chemical Safety Report DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EINECS = European Inventory of Existing Commercial chemical Substances ES = Exposure Scenario EUH statement = CLP-specific Hazard statement EuPCS = European Product Categorisation System EWC = European Waste Catalogue GHS = Globally Harmonized System of Classification and Labelling of Chemicals IARC = International Agency for Research on Cancer (IARC) IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) OECD = Organisation for Economic Co-operation and Development PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail RRN = REACH Registration Number SCL = A specific concentration limit SVHC = Substances of Very High Concern STOT-RE = Specific Target Organ Toxicity - Repeated Exposure STOT-SE = Specific Target Organ Toxicity - Single Exposure TWA = Time weighted average UN = United Nations UVBC = Unknown or variable composition, complex reaction products or of biological materials VOC = Volatile Organic Compound vPvB = Very Persistent and Very Bioaccumulative Additional information The classification of the mixture in regard of health hazards is in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP). The safety data sheet is validated by James I.

## Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: IE-en