

**ARC Wood Sealant**

Revision date: 22.05.2023

Page 1 of 9

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

ARC WOOD SEALANT

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Use of the substance/mixture**

Adhesives and sealants

**1.3. Details of the supplier of the safety data sheet**

ARC Building Products  
IDA Business & Technology Park Ballynattin, Arklow, Co  
Wicklow, Ireland.  
Tel: +353 (0)402 32370  
sales@arcbuildingproducts.ie | www.arcbuildingproducts.ie

**SECTION 2: Hazards identification**

**2.1. Classification of the substance or mixture**

**Regulation (EC) No 1272/2008**

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

**2.2. Label elements**

**Regulation (EC) No 1272/2008**

**Precautionary statements**

P102 Keep out of reach of children.

**Special labelling of certain mixtures**

EUH208 Contains 1,2-Benzisothiazolin-3-one; reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.  
EUH210 Safety data sheet available on request.

**Additional advice on labelling**

The product contains titanium dioxide < 1%. Only few colours may contain higher amounts. Titanium dioxide used is free of labelling, since it contains < 1% particles with aerodynamic diameter < 10µm. Due to highly viscous consistency of the product, formation of an aerosol or dust during processing is not possible. Labelling with EUH 211/212 therefore is not intended.

**2.3. Other hazards**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.  
This article doesn't contain hazardous substances or mixtures intended to be released under normal or reasonably foreseeable conditions of use.

**SECTION 3: Composition/information on ingredients**

**3.2. Mixtures**

## ARC Wood Sealant

Revision date: 22.05.2023

Page 2 of 9

### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
13463-67-7	titanium dioxide			0 - 6 %
	236-675-5		01-2119489379-17	
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one			< 0,036 %
	220-120-9	613-088-00-6		
	Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1, Aquatic Acute 1; H302 H315 H318 H317 H400			
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)			< 0,0015 %
	-	613-167-00-5		
	Acute Tox. 2, Acute Tox. 2, Acute Tox. 3, Skin Corr. 1C, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H310 H301 H314 H318 H317 H400 H410 EUH071			

Full text of H and EUH statements: see section 16.

### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
13463-67-7	236-675-5	titanium dioxide	0 - 6 %
		inhalation: LC50 = > 6,8 mg/l (vapours); oral: LD50 = >5000 mg/kg	
2634-33-5	220-120-9	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	< 0,036 %
		oral: ATE = 500 mg/kg Skin Sens. 1; H317: >= 0,05 - 100	
55965-84-9	-	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	< 0,0015 %
		inhalation: ATE = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); dermal: ATE = 50 mg/kg; oral: ATE = 100 mg/kg Skin Corr. 1C; H314: >= 0,6 - 100 Skin Irrit. 2; H315: >= 0,06 - < 0,6 Eye Dam. 1; H318: >= 0,6 - 100 Eye Irrit. 2; H319: >= 0,06 - < 0,6 Skin Sens. 1A; H317: >= 0,0015 - 100 M acute; H400: M=100 M chron.; H410: M=100	

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### After inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

#### After contact with skin

Change contaminated, saturated clothing. After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, consult a physician.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

#### After ingestion

Rinse mouth thoroughly with water. Do NOT induce vomiting. Call a doctor if you feel unwell.

### 4.3. Indication of any immediate medical attention and special treatment needed

**ARC Wood Sealant**

Revision date: 22.05.2023

Page 3 of 9

Treat symptomatically.

**SECTION 5: Firefighting measures**

**5.1. Extinguishing media**

**Suitable extinguishing media**

Carbon dioxide (CO<sub>2</sub>). Extinguishing powder. Water spray jet. Foam. Co-ordinate fire-fighting measures to the fire surroundings.

**5.2. Special hazards arising from the substance or mixture**

Hazardous combustion products.

**5.3. Advice for firefighters**

Use suitable breathing apparatus. Protective clothing.

**SECTION 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

**General advice**

Personal protection equipment: see section 8

**For non-emergency personnel**

No special measures are necessary.

**For emergency responders**

No special measures are necessary.

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

**6.3. Methods and material for containment and cleaning up**

**For containment**

Take up mechanically. After curing, product can be disposed of with domestic or commercial waste. Non-cured material has to be handled as special waste.

**For cleaning up**

Clean with a cloth immediately. After curing, the product can be removed in most cases only mechanically.

**Other information**

Treat the recovered material as prescribed in the section on waste disposal.

**6.4. Reference to other sections**

Personal protection equipment: see section 8

Disposal: see section 13

Safe handling: see section 7

**SECTION 7: Handling and storage**

**7.1. Precautions for safe handling**

**Advice on safe handling**

Ensure sufficient ventilation.

**Advice on general occupational hygiene**

When using do not eat, drink, smoke, sniff.

**7.2. Conditions for safe storage, including any incompatibilities**

**Requirements for storage rooms and vessels**

Keep/Store only in original container. Ensure adequate ventilation of the storage area. Avoid high

### ARC Wood Sealant

Revision date: 22.05.2023

Page 4 of 9

temperatures or direct sunlight.

#### 7.3. Specific end use(s)

No data available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### DNEL/DMEL values

CAS No	Name of agent			
DNEL type	Exposure route		Effect	Value
13463-67-7	titanium dioxide			
Worker DNEL, long-term	inhalation	systemic	10 mg/m <sup>3</sup>	

##### PNEC values

CAS No	Name of agent			
Environmental compartment				Value
13463-67-7	titanium dioxide			
Freshwater				0,184 mg/l
Marine water				0,018 mg/l
Freshwater sediment				1000 mg/kg
Marine sediment				100 mg/kg
Micro-organisms in sewage treatment plants (STP)				100 mg/l
Soil				100 mg/kg

##### Additional advice on limit values

To date, no national critical limit values exist.

#### 8.2. Exposure controls

##### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Eye glasses with side protection

##### Hand protection

Recommended glove material: E.g. butyl gloves, nitrile gloves

Recommended glove thickness: > 0,4 mm

Permeation time (maximum wear duration): > 1 h.

##### Skin protection

Protective clothing.

##### Respiratory protection

Usually no personal respiratory protection necessary.

##### Thermal hazards

not applicable

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state:

solid: Paste

**ARC Wood Sealant**

Revision date: 22.05.2023

Page 5 of 9

Colour:	various
Odour:	characteristic
Odour threshold:	not determined

**Test method**
**Changes in the physical state**

Melting point/freezing point:	not applicable
Boiling point or initial boiling point and boiling range:	not determined
Sublimation point:	not applicable
Softening point:	not determined
Flash point:	> 150 °C DIN ISO 2592
Lower explosion limits:	not applicable
Upper explosion limits:	not applicable
Auto-ignition temperature:	not determined
Decomposition temperature:	not determined
pH-Value (at 20 °C):	ca. 8
Viscosity / dynamic:	not determined DIN 51550
Viscosity / kinematic: (at 40 °C)	> 1000 mm²/s ISO 3219
Water solubility:	not determined
Partition coefficient n-octanol/water:	not determined
Vapour pressure:	not determined
Density:	ca. 1,4 g/cm³

**9.2. Other information**
**Information with regard to physical hazard classes**

Sustaining combustion:	No data available
------------------------	-------------------

**Other safety characteristics**

Solvent content:	VOC: < 20 g/l (2004/42 EG) VOC (CH): < 20 g/kg
------------------	---

**Further Information**

not applicable

**SECTION 10: Stability and reactivity**
**10.1. Reactivity**

The product is stable under storage at normal ambient temperatures.

**10.2. Chemical stability**

Stable under recommended storage and handling conditions.

**10.3. Possibility of hazardous reactions**

May form hazardous decomposition products when exposed to high temperatures.

**10.4. Conditions to avoid**

Avoid high temperatures or direct sunlight. Frost.

### ARC Wood Sealant

Revision date: 22.05.2023

Page 6 of 9

#### 10.5. Incompatible materials

Acid. Oxidising agent, strong. Reducing agent, strong.

#### 10.6. Hazardous decomposition products

Hazardous combustion products

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

##### Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
13463-67-7	titanium dioxide				
	oral	LD50 >5000 mg/kg	Ratte		
	inhalation (4 h) vapour	LC50 > 6,8 mg/l	Ratte		
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one				
	oral	ATE 500 mg/kg			
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)				
	oral	ATE 100 mg/kg			
	dermal	ATE 50 mg/kg			
	inhalation vapour	ATE 0,5 mg/l			
	inhalation dust/mist	ATE 0,05 mg/l			

##### Irritation and corrosivity

Based on available data, the classification criteria are not met.

##### Sensitising effects

Contains 1,2-Benzisothiazolin-3-one; reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

##### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

##### STOT-single exposure

Based on available data, the classification criteria are not met.

##### STOT-repeated exposure

Based on available data, the classification criteria are not met.

##### Aspiration hazard

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

##### Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to humans.

### SECTION 12: Ecological information

#### 12.1. Toxicity

### ARC Wood Sealant

Revision date: 22.05.2023

Page 7 of 9

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
13463-67-7	titanium dioxide					
	Acute fish toxicity	LC50 > 1000 mg/l	96 h	Pimephales promelas		
	Acute algae toxicity	ErC50 61 mg/l	72 h	Pseudokirchneriella subcapitata		
	Acute crustacea toxicity	EC50 > 1000 mg/l	48 h	Daphnia magna		

#### 12.2. Persistence and degradability

Not readily biodegradable (according to OECD criteria)

#### 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

#### 12.4. Mobility in soil

slightly soluble

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

No indication of other harmful effects.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### Disposal recommendations

After curing, product can be disposed of with domestic or commercial waste. Non-cured material has to be handled as special waste.

##### List of Wastes Code - residues/unused products

080410 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants other than those mentioned in 08 04 09

##### List of Wastes Code - contaminated packaging

080410 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants other than those mentioned in 08 04 09

##### Contaminated packaging

The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

### SECTION 14: Transport information

#### Land transport (ADR/RID)

### ARC Wood Sealant

Revision date: 22.05.2023

Page 8 of 9

<b><u>14.1. UN number or ID number:</u></b>	No dangerous good in sense of this transport regulation.
<b><u>14.2. UN proper shipping name:</u></b>	No dangerous good in sense of this transport regulation.
<b><u>14.3. Transport hazard class(es):</u></b>	No dangerous good in sense of this transport regulation.
<b><u>14.4. Packing group:</u></b>	No dangerous good in sense of this transport regulation.

#### Inland waterways transport (ADN)

<b><u>14.1. UN number or ID number:</u></b>	No dangerous good in sense of this transport regulation.
<b><u>14.2. UN proper shipping name:</u></b>	No dangerous good in sense of this transport regulation.
<b><u>14.3. Transport hazard class(es):</u></b>	No dangerous good in sense of this transport regulation.
<b><u>14.4. Packing group:</u></b>	No dangerous good in sense of this transport regulation.

#### Marine transport (IMDG)

<b><u>14.1. UN number or ID number:</u></b>	No dangerous good in sense of this transport regulation.
<b><u>14.2. UN proper shipping name:</u></b>	No dangerous good in sense of this transport regulation.
<b><u>14.3. Transport hazard class(es):</u></b>	No dangerous good in sense of this transport regulation.
<b><u>14.4. Packing group:</u></b>	No dangerous good in sense of this transport regulation.

#### Air transport (ICAO-TI/IATA-DGR)

<b><u>14.1. UN number or ID number:</u></b>	No dangerous good in sense of this transport regulation.
<b><u>14.2. UN proper shipping name:</u></b>	No dangerous good in sense of this transport regulation.
<b><u>14.3. Transport hazard class(es):</u></b>	No dangerous good in sense of this transport regulation.
<b><u>14.4. Packing group:</u></b>	No dangerous good in sense of this transport regulation.

#### **14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

#### **14.6. Special precautions for user**

No dangerous good in sense of this transport regulation.

#### **14.7. Maritime transport in bulk according to IMO instruments**

No dangerous good in sense of this transport regulation.

### SECTION 15: Regulatory information

#### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

##### **EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 75

##### **Additional information**

Biocidal Products Regulation EU 528/2012: "Contains biocides as in can preservative: 1,2-benzisothiazolin-3-one, reaction mass of 5 -chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction."

##### **National regulatory information**

Water hazard class (D): 1 - slightly hazardous to water

#### **15.2. Chemical safety assessment**

For this substance a chemical safety assessment has not been carried out.

### SECTION 16: Other information



**ARC Wood Sealant**

Revision date: 22.05.2023

Page 9 of 9

**Changes**

This data sheet contains changes from the previous version in section(s): 1,2,9,15.

**Relevant H and EUH statements (number and full text)**

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.
EUH208	Contains 1,2-Benzisothiazolin-3-one; reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.
EUH210	Safety data sheet available on request.

**Further Information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*