Page 1/6

Printing date 09.01.2018 Revision: 14.08.2013 Version number 7

SECTION 1: Identification of the substance/mixture and of the company undertaking

- · 1.1 Product identifier
- · Trade name: Cement Residue Remover
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Surface cleanser
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

WEPOS Chemie GmbH

Textilstr. 2 41751 Viersen

Tel 0049-2162-266269-0 www.wepos-chemie.de service@wepos-chemie.de

Fax 0049-2162-266269-8

· Informing department: Product safety department. · 1.4 Emergency telephone number:

s. Hersteller:

außerhalb der Arbeitszeiten: 0172-7142744

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



STOT SE 3 H335 May cause respiratory irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- · Hazard pictograms GHS05, GHS07
- Signal word Danger
- · Hazard-determining components of labelling:

hydrochloric acid

Phosphorsäure

Isotridecanol, ethoxyliert (>5-20EO)

· Hazard statements

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

· Precautionary statements

If medical advice is needed, have product container or label at hand. P101

P102 Keep out of reach of children.

Read label before use. P103

P260 Do not breathe dusts or mists.

P271 Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection. P280

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

(Contd. on page 2)

Page 2/6

Printing date 09.01.2018 Revision: 14.08.2013 Version number 7

Trade name: Cement Residue Remover

(Contd. of page 1)

P321 Specific treatment (see on this label).

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · **Description**: Mixture of the substances listed below with harmless additions.

· Dangerous components:		
CAS: 7647-01-0	hydrochloric acid	< 25%
EINECS: 231-595-7	📀 Skin Corr. 1B, H314; 🗘 STOT SE 3, H335	
CAS: 7664-38-2	Phosphorsäure	< 5%
EINECS: 231-633-2	📀 Skin Corr. 1B, H314	
CAS: 69011-36-5	Isotridecanol, ethoxyliert (>5-20EO)	< 1%
	♦ Eye Dam. 1, H318	
Devolution /FO/ No CAO/OOCA on delegands / Lebelling for contents		

Regulation (EC) No 648/2004 on detergents / Labelling for contents
 nonionic surfactants, Phosphate, Duftstoffe, LIMONENE

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- General information

Instantly remove any clothing soiled by the product.

Take affected persons out of danger area and instruct to lie down.

After inhalation

In case of unconsciousness bring patient into stable side position for transport.

Seek medical treatment in case of complaints.

Supply fresh air.

· After skin contact

Instantly wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

· After swallowing

Do not induce vomiting; instantly call for medical help.

Rinse out mouth and then drink plenty of water.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No further relevant information available.

(Contd. on page 3)

[·] Additional information For the wording of the listed hazard phrases refer to section 16.

Page 3/6

Printing date 09.01.2018 Revision: 14.08.2013 Version number 7

Trade name: Cement Residue Remover

(Contd. of page 2)

- · 5.3 Advice for firefighters
- · Protective equipment: Do not inhale explosion gases or combustion gases.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: Dilute with much water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders). Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and containers: No special requirements.
- · Information about storage in one common storage facility:

Do not store together with alkalis (caustic solutions).

- Further information about storage conditions: Keep container tightly sealed.
- · Storage class 8
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · 8.1 Control parameters
- · Components with critical values that require monitoring at the workplace:

7647-01-0 hydrochloric acid

WEL Short-term value: 8 mg/m³, 5 ppm Long-term value: 2 mg/m³, 1 ppm

(ass and served mists)

(gas and aerosol mists)

7664-38-2 Phosphorsäure

WEL Short-term value: 2 mg/m³ Long-term value: 1 mg/m³

- · Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment
- General protective and hygienic measures

Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.

(Contd. on page 4)

Page 4/6

Printing date 09.01.2018 Revision: 14.08.2013 Version number 7

Trade name: Cement Residue Remover

(Contd. of page 3)

· Protection of hands:

To avoid skin problems reduce the wearing of gloves to the required minimum.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- · Material of gloves Butyl rubber, BR
- · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Tightly sealed safety glasses.

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form:
Colour:
Liquid
Light red
Smell:
Characteristic

· pH-value at 20 °C:

< 1

· Change in condition

Melting point/freezing point: Not determined

Initial boiling point and boiling range: 100 ℃

· Flash point: Not applicable

· **Self-inflammability:** Product is not selfigniting.

• **Explosive properties:** Product is not explosive.

· Steam pressure at 20 °C: 23 hPa

· Density at 20 °C 1.06 g/cm³

· Solubility in / Miscibility with

Water: Fully miscible

• **9.2 Other information** No further relevant information available.

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions Reacts with alkali (lyes)
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: Hydrogen chloride (HCl)

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation

Causes severe skin burns and eye damage.

· Serious eve damage/irritation

Causes serious eve damage.

(Contd. on page 5)

Page 5/6

Printing date 09.01.2018 Revision: 14.08.2013 Version number 7

Trade name: Cement Residue Remover

(Contd. of page 4)

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure

May cause respiratory irritation.

- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

- · Uncleaned packagings:
- · Recommendation: Packaging can be reused or recycled after cleaning.
- · Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information

- · 14.1 UN-Number
- **ADR** 1760
- · 14.2 UN proper shipping name
- · **ADR** 1760 CORROSIVE LIQUID, N.O.S.
- · 14.3 Transport hazard class(es)
- · ADR



Class 8 Corrosive substances.

(Contd. on page 6)

Printing date 09.01.2018 Revision: 14.08.2013 Version number 7

Trade name: Cement Residue Remover

	(Contd. of page
· Label	8
· 14.4 Packing group · ADR	III
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Warning: Corrosive substances.
 14.7 Transport in bulk according to All of Marpol and the IBC Code 	nnex II Not applicable.
· Transport/Additional information:	
· ADR · Limited quantities (LQ) · Transport category · Tunnel restriction code	LQ 7 3 E
· UN "Model Regulation":	UN 1760 CORROSIVE LIQUID, N.O.S., 8, III

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · National regulations
- · Information about limitation of use:

Employment restrictions concerning young persons must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

· Technical instructions (air):

Class	Share in %
Ш	< 1

- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

- · Department issuing data specification sheet: Department of Manufacture.
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

* Data compared to the previous version altered.