Page 1/6

Printing date 19.07.2018 Revision: 19.07.2018 Version number 9

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- · Trade name: Wepos Tile & Stone Basic cleaner alkaline
- 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Surface cleaning
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

WEPOS Chemie GmbH

Textilstr. 2 41751 Viersen

Tel 0049-2162-266269-0

www.wepos-chemie.de service@wepos-chemie.de

Fax 0049-2162-266269-8

- · Informing department: Product safety department.
- · 1.4 Emergency telephone number: Manufacturer

# **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Eye Irrit. 2 H319 Causes serious eye irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- **Hazard pictograms** GHS07
- · Signal word Warning
- · Hazard-determining components of labelling:

Isotridecanol, ethoxyliert (>5-20EO)

· Hazard statements

H319 Causes serious eye irritation.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children. P103 Read label before use. Wear protective gloves. P280

Wash thoroughly after handling. P264

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · vPvB: Not applicable.

#### **SECTION 3: Composition/information on ingredients**

- · 3.2 Chemical characterisation: Mixtures
- · **Description:** Mixture of the substances listed below with harmless additions.

(Contd. on page 2)

Page 2/6

Printing date 19.07.2018 Revision: 19.07.2018 Version number 9

#### Trade name: Wepos Tile & Stone Basic cleaner alkaline

	(Contd.	of page 1
· Dangerous compo	nents:	
CAS: 69011-36-5	Isotridecanol, ethoxyliert (>5-20EO)	< 5%
	📀 Eye Dam. 1, H318	
CAS: 112-34-5 EINECS: 203-961-6	2-(2-butoxyethoxy)ethanol	< 5%
	Ethylenglykolmonobutylether	< 5%
	Ocute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319	
CAS: 10101-89-0	tri-Natriumphosphat-Dodecahydrat	< 5%
	♦ Skin Irrit. 2, H315; Eye Irrit. 2, H319	-
Regulation (EC) No	648/2004 on detergents / Labelling for contents	
nonionic surfactants, Phosphate, Phosphonate		< 5%
· Additional information	tion For the wording of the listed hazard phrases refer to section 16.	

# **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- General information

Instantly remove any clothing soiled by the product.

Take affected persons out of danger area and instruct to lie down.

· After inhalation

In case of unconsciousness bring patient into stable side position for transport.

Seek medical treatment in case of complaints.

Supply fresh air.

After skin contact

Instantly wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

· After swallowing

Do not induce vomiting; instantly call for medical help.

Rinse out mouth and then drink plenty of water.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

· 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- · 5.3 Advice for firefighters
- · Protective equipment: Do not inhale explosion gases or combustion gases.

# **SECTION 6: Accidental release measures**

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- **6.2 Environmental precautions:** Dilute with much water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

Ensure adequate ventilation.

(Contd. on page 3)

Page 3/6

Printing date 19.07.2018 Revision: 19.07.2018 Version number 9

Trade name: Wepos Tile & Stone Basic cleaner alkaline

(Contd. of page 2)

#### · 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

# **SECTION 7: Handling and storage**

- · **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.
- · Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- Requirements to be met by storerooms and containers: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

- · Additional information about design of technical systems: No further data; see item 7.
- · 8.1 Control parameters

#### · Components with critical values that require monitoring at the workplace:

## 112-34-5 2-(2-butoxyethoxy)ethanol

WEL Short-term value: 101.2 mg/m³, 15 ppm Long-term value: 67.5 mg/m³, 10 ppm

#### Ethylenglykolmonobutylether

WEL Short-term value: 246 mg/m³, 50 ppm Long-term value: 123 mg/m³, 25 ppm Sk, BMGV

· Ingredients with biological limit values:

#### Ethylenglykolmonobutylether

BMGV 240 mmol/mol creatinine

Medium: urine

Sampling time: post shift Parameter: butoxyacetic acid

- · Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment
- General protective and hygienic measures

Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

## · Breathing equipment:

In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.

#### · Protection of hands:

Protective gloves.

Protective gloves and protective skin cream.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves Butyl rubber, BR

(Contd. on page 4)

Page 4/6

Printing date 19.07.2018 Revision: 19.07.2018 Version number 9

Trade name: Wepos Tile & Stone Basic cleaner alkaline

(Contd. of page 3)

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Tightly sealed safety glasses.

# **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Fluid Colour: Clear · Smell: Recognisable

· pH-value at 20 °C: 10.5 - 11.0

· Change in condition

Melting point/freezing point: Not determined

Initial boiling point and boiling range: 100 ℃ · Flash point: Not applicable · Self-inflammability: Product is not selfigniting. · Explosive properties: Product is not explosive. · Steam pressure at 20 °C: 23 hPa · Density at 20 °C 1.015 g/cm<sup>3</sup>

· Solubility in / Miscibility with

Water: Fully miscible

· 9.2 Other information No further relevant information available.

# **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

## **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eve damage/irritation

Causes serious eve irritation.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.

(Contd. on page 5)

Page 5/6

Printing date 19.07.2018 Revision: 19.07.2018 Version number 9

Trade name: Wepos Tile & Stone Basic cleaner alkaline

(Contd. of page 4)

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

# **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

## **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- Recommendation

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

- · Uncleaned packagings:
- · **Recommendation:** Packaging can be reused or recycled after cleaning.
- · Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information		
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user	Not applicable.	
<ul> <li>14.7 Transport in bulk according to An of Marpol and the IBC Code</li> </ul>	nnex II Not applicable.	
· UN "Model Regulation":	Void	

(Contd. on page 6)

Page 6/6

Printing date 19.07.2018 Revision: 19.07.2018 Version number 9

Trade name: Wepos Tile & Stone Basic cleaner alkaline

(Contd. of page 5)

# **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 55
- · National regulations
- · Information about limitation of use:

Employment restrictions concerning young persons must be observed. Employment restrictions concerning pregnant and lactating women must be observed.

· Technical instructions (air):

Class	Share in %
Ш	< 5
NK	< 5

- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

- Department issuing data specification sheet: Department of Manufacture.
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IMDG: International Maritime Code for Dangerous Goods

·\* Data compared to the previous version altered.

- GE