

SAFETY DATA SHEET BARTOLINE - Quick Drying Ready Mixed Filler

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name BARTOLINE - Quick Drying Ready Mixed Filler

REACH registration notesNo REACH registration number required as this product is a mixture.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses General Purpose Filler

Uses advised against

Not to be used for making casts of body parts, during setting the product may heat up causing

skin burns.

1.3. Details of the supplier of the safety data sheet

Supplier Bartoline Limited

Barmston Close Beverley East Yorkshire HU17 0LW 01482 678710

info@bartoline.co.uk

Contact person Product Compliance Manager

1.4. Emergency telephone number

Emergency telephone 01482 678710 (8.30am - 4.45pm Monday to Friday) or NHS 111 (General Public) (24 Hour

service)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

2.2. Label elements

Hazard statements NC Not Classified

Precautionary statements P102 Keep out of reach of children.

IF ON SKIN: Wash with plenty of soap and water.

In case of contact with eyes, rinse immediately with plenty of water; seek medical advice if

irritation persists.

2.3. Other hazards

This product contains a small amount of a sensitising substance. May cause an allergic reaction in sensitive individuals. Eye contact may cause temporary redness and irritation. Prolonged skin contact may cause redness, irritation and dry skin.

SECTION 3: Composition/information on ingredients

BARTOLINE - Quick Drying Ready Mixed Filler

3.2. Mixtures

Dolomite (Substance with a workplace exposure limit)

60-100%

Classification
Not Classified

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

Composition comments A specially formulated filler containing natural minerals, rheology modifiers and organic

polymers. This product does not contain any substances classified as Substances of Very

High Concern (SVHCs).

Ingredient notes Other than mentioned this product does not contain any hazardous substances in an

individual concentration equal to or greater than those required to be disclosed in accordance

with Regulation (EC) No 1907/2006 as amended by Regulation (EU) 2015/830.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR THE NHS

111 SERVICE.

Inhalation Unlikely route of exposure. Move affected person to fresh air and keep warm and at rest in a

position comfortable for breathing. When breathing is difficult, properly trained personnel may

assist affected person by administering oxygen.

Ingestion Rinse out mouth and then drink plenty of water if person is conscious. NEVER MAKE AN

UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS. Get medical attention if a large

quantity has been ingested.

Skin contact It is unlikely that any adverse symptoms occur. Wash with warm soapy water. Remove

contaminated clothing. Seek medical advice if irritation develops and persists.

Eye contact Promptly wash eyes with plenty of water while lifting the eye lids. Remove any contact lenses

and open eyes wide apart. Rinse opened eye for several minutes under running water. Get

medical attention if symptoms are severe or persist after washing.

Protection of first aiders This is a non hazardous product and therefore no protection should be required, however

consideration should be given to other contaminants in the workplace.

4.2. Most important symptoms and effects, both acute and delayed

General information The product is considered to be a low hazard under normal conditions of use. The severity of

the symptoms described will vary dependent on the concentration and the length of exposure.

Inhalation General respiratory distress, unproductive cough.

Ingestion Gastrointestinal symptoms, including upset stomach.

Skin contact The product contains a small amount of sensitising substance. Prolonged skin contact may

cause temporary irritation. May cause sensitisation or allergic reactions in sensitive

individuals.

Eye contact Dust particles produced during sanding may cause irritation and smarting. Profuse watering of

the eyes. Redness. Irritation.

BARTOLINE - Quick Drying Ready Mixed Filler

4.3. Indication of any immediate medical attention and special treatment needed

Specific treatmentsNo specific chemical antidote is known to be required after exposure to this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is non-combustible. Use fire-extinguishing media suitable for the surrounding fire.

Unsuitable extinguishing

media

None known.

5.2. Special hazards arising from the substance or mixture

Specific hazards Fire water contaminated with this material must be contained and prevented from being

discharged to any waterway, sewer or drain.

Hazardous combustion

products

Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, oxides of nitrogen, various hydrocarbons, aldehydes and soot. These may be highly dangerous if inhaled in confined spaces or at high concentrations.

5.3. Advice for firefighters

Protective actions during

firefighting

Avoid breathing fire vapours. Cool containers exposed to flames with water until well after the fire is out. Keep run-off water out of sewers and water sources. Dike for water control.

Containers close to fire should be removed or cooled with water.

Special protective equipment

for firefighters

In case of a large fire or in confined or poorly ventilated spaces, wear full fire resistant protective clothing and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautionsNo action shall be taken without appropriate training or involving any personal risk.

For non-emergency personnel Do not touch spilled material or walk into the spillage area.

For emergency responders Wear protective clothing as described in Section 8 of this safety data sheet. See section 11 for

additional information on health hazards. For waste disposal, see section 13.

6.2. Environmental precautions

Environmental precautions As this product is only supplied in small quantities there is a low risk of any environmental

damage.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

This product is a viscous paste and will not travel if accidently released. Scrape up uncured

product and place into a container for disposal. Alternatively, allow to set hard and scrape up.

6.4. Reference to other sections

Reference to other sections For waste disposal, see section 13. See section 11 for additional information on health

hazards. Wear protective clothing as described in Section 8 of this safety data sheet.

BARTOLINE - Quick Drying Ready Mixed Filler

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Avoid eating, drinking and smoking when using the product. Avoid contact with skin and eyes.

Read label before use. Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product. Avoid inhalation of dust. If sanding is

required the use of a disposable dust mask is recommended.

Advice on general occupational hygiene

Persons susceptible to allergic reactions should not handle this product. When using do not eat, drink or smoke. Remove contaminated clothing and protective equipment before entering eating areas. Wash at the end of each work shift and before eating, smoking and using the toilet. Use appropriate hand lotion to prevent defatting and cracking of skin.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions No special restrictions on storage with other products. Store at temperatures between 5°C

and 25°C. Keep only in the original container.

Storage class Unspecified storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

Usage description Duration is not restricted (up to 480 minutes per shift, 5 shifts per week). Always follow on

pack instructions when using this product. Keep out of reach of children. Keep containers closed when not in use. People with sensitive skin should wear rubber protective gloves. Ensure adequate ventilation of work area and prevent build up of dust. If this is not possible

then suitable extraction should be employed near to the emission point.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

There are no occupational exposure limits listed in EH40 for the product as a whole. See information below for ingredients with an workplace exposure limit..

Dolomite (Substance with a workplace exposure limit)

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ inhalable dust Short-term exposure limit (15-minute): WEL 4 mg/m³ respirable dust

WEL = Workplace Exposure Limit

BARTOLINE - Quick Drying Ready Mixed Filler

Ingredient comments

There is no data for the product as a whole, see comments on individual constituents.

Dolomite (Substance with a workplace exposure limit) (CAS: 16389-88-1)

DNEL

The available hazard data does not support the need for any DNEL's

PNEC

No data available from supplier MSDS or REACH Registration portal.

8.2. Exposure controls

Protective equipment







Appropriate engineering controls

Protective engineering solutions should be implemented, and in use, before Personal Protective Equipment (PPE) is considered. Use mechanical ventilation if there is a risk of handling causing formation of airborne dust. Ensure that the direction of airflow is clearly away from the worker. Observe any occupational exposure limits for the product or ingredients. Good general ventilation should be adequate to control worker exposure to airborne contaminants.

Personal protection

This product is supplied in ready to use tubs, and when used correctly, poses very little risk to man or the environment.

Eye/face protection

Wear EN 166 approved chemical safety goggles where eye exposure is reasonably probable.

Hand protection

Barrier cream applied before work may make it easier to clean the skin after exposure, but does not prevent absorption through the skin. Although the product is not classified as a skin irritant, the wearing of gloves is recommended for people with sensitive skin or for prolonged or repeated use. Wear protective gauntlets made of the following material: Leather. Polyvinyl chloride (PVC). Nitrile rubber.

Other skin and body protection

Given the identified use of the product additional skin and body protection should not be required.

Hygiene measures

Persons susceptible to allergic reactions should not handle this product. Wash hands at the end of each work shift and before eating, smoking and using the toilet.

Respiratory protection

Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Protection against nuisance dust must be used when the airborne concentration exceeds 10 mg/m3. Respirator selection must be based on exposure levels, the hazards of the product and the safe working limits of the selected respirator. If sanding is required the use of a dust mask is recommended. Disposable filtering half mask respirators should comply with European Standard EN149 or EN405. Particulate filter, type P1.

Thermal hazards

Not Applicable

BARTOLINE - Quick Drying Ready Mixed Filler

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance Paste.

Colour White.

Odour Barely perceptible.

Odour threshold No information available.

pH No information available.

Melting point Not available.

Initial boiling point and range 100 (°C)

Flash point >100 (°C)

Evaporation rate Not available.

Evaporation factor Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or

explosive limits

Not applicable.

Other flammability Not applicable.

Vapour pressure No information available.

Vapour density No information available.

Relative density Not relevant.

Bulk density Not applicable.

Solubility(ies) Completely soluble in water.

Partition coefficient Not available.

Auto-ignition temperature Not available.

Decomposition Temperature Not available.

Viscosity 2400 - 2700 (Helipath SF/Sp10)

Explosive propertiesNot considered explosive based on chemical structure and oxygen balance considerations.

Oxidising properties This product is not considered oxidising based on chemical structure considerations.

Comments Information given is applicable to the product in its ready-to-use form. Information declared as

"Not available" or "Not applicable" is not considered to be relevant to the implementation of

the proper control measures.

9.2. Other information

Volatility Water based.

Volatile organic compound This product contains a maximum VOC content of 0.737 %.

BARTOLINE - Quick Drying Ready Mixed Filler

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stable at normal ambient temperatures and when used as recommended. No particular

stability concerns.

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

Under normal conditions of storage and use, no hazardous reactions will occur.

10.4. Conditions to avoid

Conditions to avoid Avoid freezing. There are no known conditions that are likely to result in a hazardous

situation.

10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to produce a

hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition

products

None at ambient temperatures. In case of fire irritating fumes and smoke will be evolved.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effectsThe product has been assessed following the conventional method and is classified for

toxicological hazards accordingly. This product has low toxicity. Only large volumes may have adverse impact on human health. No data for the product as a whole. See the information on

the relevant constituent substances.

Skin corrosion/irritation

Skin corrosion/irritation Not irritating. Prolonged skin contact may cause temporary irritation. (Mixture as a whole)

Serious eye damage/irritation

Serious eye damage/irritation Based on available data the classification criteria are not met. (Mixture as a whole)

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met. (Mixture as a whole)

Skin sensitisation

Skin sensitisation Based on available data the classification criteria are not met. There are low levels of

substances present in this product which are known to cause an allergic reaction. The concentrations are sufficiently low not to present a risk of inducing allergy. However people already sensitised may show an adverse reaction when using this product. Where required the identity of these ingredients will be shown on the label, enabling those potentially affected

to avoid contact. (Mixture as a whole)

Germ cell mutagenicity

Genotoxicity - in vitro Based on available data the classification criteria are not met. (Mixture as a whole)

Genotoxicity - in vivo Based on available data the classification criteria are not met. (Mixture as a whole)

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met. (Mixture as a whole)

BARTOLINE - Quick Drying Ready Mixed Filler

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met. (Mixture as a whole)

Reproductive toxicity -

E

Based on available data the classification criteria are not met. (Mixture as a whole)

development

Specific target organ toxicity - single exposure

STOT - single exposure Based on available data the classification criteria are not met. (Mixture as a whole)

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Based on available data the classification criteria are not met. (Mixture as a whole)

Aspiration hazard

Aspiration hazard Not anticipated to present an aspiration hazard, based on chemical structure. (Mixture as a

whole)

General information Only large quantities are likely to have adverse effects on human health. This product has low

toxicity.

Inhalation This product is not classified as hazardous. If sanding is required after the product has cured

then there is a dust hazard. Frequent inhalation of dust over a long period of time increases

the risk of developing lung diseases.

Ingestion Ingestion of large amounts may cause soreness and redness of the mouth and throat.

Skin contact May cause defatting of the skin but is not an irritant.

Eye contact This mixture does not meet the EU criteria for classification. Any eye contact may cause a

burning feeling and temporary redness.

Acute and chronic health

hazards

Prolonged or repeated exposure may cause the following adverse effects: May cause skin

sensitisation or allergic reactions in sensitive individuals.

Route of exposure Skin and/or eye contact

Target organs Eyes Skin

Medical symptoms Allergies.

Medical considerations The following pre-existing or historic medical conditions of the worker may lead to an

increased risk of adverse health effects following exposure to this product: Allergies. Chronic

respiratory and obstructive airway diseases.

Toxicological information on ingredients.

Dolomite (Substance with a workplace exposure limit)

Toxicological effectsThe data below is taken from the suppliers MSDS. The severity of acute effects is

such that significant repeated or prolonged exposure is unlikely.

Acute toxicity - oral

Acute toxicity oral (LD₅o

mg/kg)

5,001.0

Species Rat

ATE oral (mg/kg) 5,001.0

Acute toxicity - dermal

ATE dermal (mg/kg) 2,000.01

BARTOLINE - Quick Drying Ready Mixed Filler

Acute toxicity - inhalation

ATE inhalation

5.01

(dusts/mists mg/l)

Skin corrosion/irritation

Skin corrosion/irritation Not irritating.

Serious eye damage/irritation

Serious eye

Based on available data the classification criteria are not met.

damage/irritation

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitroBased on available data the classification criteria are not met.

Genotoxicity - in vivoBased on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

Reproductive toxicity

Reproductive toxicity -

Based on available data the classification criteria are not met.

fertility

Reproductive toxicity -

development

Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

STOT - single exposure Based on available data the classification criteria are not met.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Based on available data the classification criteria are not met.

Aspiration hazard

Aspiration hazard Based on available data the classification criteria are not met.

BARTOLINE - Quick Drying Ready Mixed Filler

SECTION 12: Ecological Information

Ecotoxicity The product is not expected to be hazardous to the environment. However, large or frequent

spills may have hazardous effects on the environment. There is no Ecotoxicity data for the

product as a whole. See information on the main constituent below.

Ecological information on ingredients.

Dolomite (Substance with a workplace exposure limit)

Ecotoxicity Information taken from supplier MSDS. The product is not expected to be

hazardous to the environment.

12.1. Toxicity

ToxicityThe product is not classified as dangerous for the environment but contains small amount of

substances so classified. See information on ingredient substances below.

Ecological information on ingredients.

Dolomite (Substance with a workplace exposure limit)

Acute aquatic toxicity

Acute toxicity - fish Not considered toxic to fish.

Acute toxicity - aquatic

invertebrates

No acute toxicity to Daphnia.

Acute toxicity - aquatic

plants

No acute toxicity to Algae

Acute toxicity - microorganisms

No acute toxicity to bacteria.

12.2. Persistence and degradability

Persistence and degradability No data available. (Product as a whole)

Ecological information on ingredients.

Dolomite (Substance with a workplace exposure limit)

Persistence and degradability

The product is not biodegradable.

12.3. Bioaccumulative potential

Partition coefficient Not available.

Ecological information on ingredients.

Dolomite (Substance with a workplace exposure limit)

Bioaccumulative potential No data available on bioaccumulation.

12.4. Mobility in soil

Mobility The product is water-soluble and may spread in water systems.

Ecological information on ingredients.

Dolomite (Substance with a workplace exposure limit)

BARTOLINE - Quick Drying Ready Mixed Filler

Mobility

These minerals are dissolved in a natural state and indispensable part of the

natural waters.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment

This mixture contains no substances considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information on ingredients.

Dolomite (Substance with a workplace exposure limit)

Results of PBT and vPvB

Not Classified as PBT/vPvB by current EU criteria.

assessment

12.6. Other adverse effects

Other adverse effects

None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information

The generation of waste should be minimised or avoided wherever possible. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

Disposal methods

Used empty containers can be left to set hard and be disposed of as non hazardous waste. For unused and uncontaminated product the preferred options include sending to a licensed waste contractor. Reuse or recycle products wherever possible. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

Waste class

The following EU Waste Catalogue codes are applicable to this product: Part-used containers should be disposed of using waste code: EU Waste Code 08 04 10: Waste adhesives and sealants other than those mentioned in 08 04 09. Empty plastic containers can be disposed of using EU Waste code 15 01 02 plastic packaging. It is usually obvious if a container is 'empty', for example a half empty tin of solidified paint is not empty, but where there is a small amount of residual material a container will not be empty if that residual material can be removed by physical or mechanical means by applying normal industry standards or processes.

This means that all reasonable efforts must have been made to remove any left-over contents from the container. This may involve for example washing, draining or scraping. The method of emptying will depend on the container and the type of material it contains.

Note: if the design of the packaging, its aperture, or the adherent nature of the material does not permit it to be emptied then it will not be a packaging waste.

If a container is not 'empty' it is not packaging waste. It should be classified on the basis of its contents and the source or activity that produced it.

BARTOLINE - Quick Drying Ready Mixed Filler

SECTION 14: Transport information

General

The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. **Annex II of MARPOL 73/78**

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Hazardous to Health Regulations and a suitable and sufficient assessment of all the risk should be undertaken before using this product. The guidelines given in the HSE publication COSHH ESSENTIALS - Easy Steps To Control Chemicals gives sound advice for deciding

safe working control measures.

Control of Substances Hazardous to Health Regulations 2002 (as amended).

EH40/2005 Workplace exposure limits.

The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment

Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].

EU legislation Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16

December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

Guidance Labelling and Packaging in accordance with Regulation (EC) No 1272/2008.

Workplace Exposure Limits EH40.

Authorisations (Title VII Regulation 1907/2006)

No specific authorisations are known for this product.

Restrictions (Title VIII Regulation 1907/2006)

No specific restrictions on use are known for this product.

BARTOLINE - Quick Drying Ready Mixed Filler

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

General information Only trained personnel should use this material.

Training advice The information on directions for use can be found on the product label. It is important to

ensure that anyone using this product in the workplace has been adequately trained and in particular: The use of personal protective equipment, methods of cleaning up and disposal of

waste. The basic first aid arrangements.

Revision comments DUE TO CHANGE OF CLASSIFICATION DATABASE THE REVISION NUMBERING HAS

BEEN RESET. You should therefore look at the revision date rather than the revision number to ensure you have the most up to date version. NOTE: Lines within the margin indicate

significant changes from the previous revision.

Issued by Product Compliance Assistant

Revision date 26/11/2018

Revision 1

SDS number 5674

The information contained in this data sheet is provided in accordance with the requirements of the Regulation (EC) No 1907/2006 Annex II as amended by Regulation (EU) 2015/830 and Regulation (EC) No 1272/2008 (CLP). The product should not be used for purposes other than those shown in Section 1.2. As the specific conditions of use are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant legislation are complied with. The information contained in this safety data sheet is based on the present knowledge and the current EU and UK Legislation. It provides guidance on health, safety and environmental aspects of the product and should not be taken as a product specification. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.