

## SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

ARC MS-11 ADH & SEAL 290ML WHITE 12 Supercedes Date: 28-Dec-2021

Revision date 03-Nov-2022 Revision Number 1.01

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Product Name	ARC MS-11 ADH & SEAL 290ML WHITE 12
Other means of identification	
Pure substance/mixture	Mixture
1.2. Relevant identified uses of	the substance or mixture and uses advised against
Recommended use	Adhesives and/or sealants
Uses advised against	None known
1.3. Details of the supplier of the	e safety data sheet
<b>Company Name</b> Bostik Benelux B.V. Denariusstraat 11 4903 RC Oosterhout The Netherlands Tel: + 31 162 491 000	
E-mail address	SDS.box-EU@bostik.com
1.4. Emergency telephone numb	<u>)er</u>
Ireland United Kingdom Europe	NPIC - National Poison Information Centre Members of the Public: +353 (01) 8092166 (8.00 am to 10.00 pm - 7 days a week) Healthcare Professionals: +353 (01) 8092566 (24 hour service) Bostik: +44 (1785) 272650 112
SECTION 2: Hazards ident	tification
2.1. Classification of the substa	nce or mixture
Regulation (EC) No 1272/2008	
This mixture is classified as not ha	zardous according to regulation (EC) 1272/2008 [CLP]
2.2. Label elements	

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

### Hazard statements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

## **EU Specific Hazard Statements**

EUH208 - Contains Trimethoxyvinylsilane & N-(3-(trimethoxysilyl)propyl)ethylenediamine & N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine & Dioctyltinbis(acetylacetonate). May produce an allergic reaction EUH210 - Safety data sheet available on request

## 2.3. Other hazards

## ARC MS-11 ADH & SEAL 290ML WHITE 12 Supercedes Date: 28-Dec-2021

Revision date 03-Nov-2022 Revision Number 1.01

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

### PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

## **SECTION 3: Composition/information on ingredients**

## 3.1 Substances

Not applicable

## 3.2 Mixtures

Chemical name	EC No (EU Index No).	CAS No.	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-ter m)	REACH registration number
Diisononyl phthalate 10 - <20 %	249-079-5	28553-12-0	[1]	-	-	-	01-2119430798- 28-XXXX
Trimethoxyvinylsilane 1 - <2.5 %	(014-049-00- 0) 220-449-8	2768-02-7	Skin Sens. 1B (H317) Acute Tox. 4 (H332) Flam. Liq. 3 (H226)	-	-	-	01-2119513215- 52-XXXX
Titanium dioxide 0.1- <1 %	(022-006-00- 2) 236-675-5	13463-67-7	[C]	-	-	-	01-2119489379- 17-XXXX
N-(3-(trimethoxysilyl)pro pyl)ethylenediamine 0.1- <1 %	217-164-6	1760-24-3	Eye Dam. 1 (H318) Skin Sens. 1 (H317) Acute Tox. 4 (H332) STOT SE 3 (H335)	-	-	-	01-2119970215- 39-XXXX
Dioctyltinbis(acetylaceto nate) 0.1- <1 %	483-270-6	54068-28-9	STOT SE 2 (H371) Skin Sens. 1 (H317)	Skin Sens. 1 :: C>=5%	-	-	01-0000020199- 67-XXXX
N-[3-(Dimethoxymethylsil yl)propyl]-ethylenediamin e 0.1- <1 %		3069-29-2	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1A (H317)	-	-	-	01-2119963926- 21-xxxx

Air contaminants formed when using the substance or mixture as intended

Chemical name	EC No (EU	Weight-%	Classification	Specific	M-Factor	M-Factor	REACH
	Index No)	-	according to	concentration limit		(long-ter	registration
			Regulation (EC) No.	(SCL)		m)	number
			1272/2008 [CLP]				
Methyl alcohol	(603-001-00	1 - <2.5	Acute Tox. 3 (H301)	STOT SE 1 ::	-	-	01-211943330
67-56-1	-X)		Acute Tox. 3 (H311)	C>=10%			7-44-XXXX
	200-659-6		Acute Tox. 3 (H331)	STOT SE 2 ::			
			STOT SE 1 (H370)	3%<=C<10%			
			Flam. Liq. 2 (H225)				

Full text of H- and EUH-phrases: see section 16

Classification according to Regulation (EC) No. 1272/2008 [CLP] - Notes

[C] - Components with occupational exposure limits and/or biological occupational exposure limits requiring monitoring

[I] - Restricted substance per REACH Annex XVII

## ARC MS-11 ADH & SEAL 290ML WHITE 12 Supercedes Date: 28-Dec-2021

## Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	EC No (EU Index No)	CAS No	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Diisononyl phthalate	249-079-5	28553-12-0	-	-	-	-	-
Trimethoxyvinylsilane	(014-049-00-0) 220-449-8	2768-02-7	-	-	-	11	-
Titanium dioxide	(022-006-00-2) 236-675-5	13463-67-7	-	-	-	-	-
N-(3-(trimethoxysilyl)pr opyl)ethylenediamine	217-164-6	1760-24-3	-	-	1.5	-	-
Dioctyltinbis(acetylacet onate)	483-270-6	54068-28-9	-	-	-	-	-
N-[3-(Dimethoxymethyl silyl)propyl]-ethylenedia mine		3069-29-2	500	-	-	-	-

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### Notes

See section 16 for more information

Chemical name	Notes
Titanium dioxide - 13463-67-7	V,W,10

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance. If medical advice is needed, have product container or label at hand.			
Inhalation	Remove to fresh air. If symptoms persist, call a doctor.			
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.			
Skin contact	In the case of skin irritation or allergic reactions see a doctor. Wash skin with soap and water.			
Ingestion	Call a doctor immediately. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. Small amounts of toxic methanol are released by hydrolysis.			
4.2. Most important symptoms and effects, both acute and delayed				
Symptoms	None known.			

## 4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors	Treat symptomatically. Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.
SECTION 5: Firefighting me	
5.1. Extinguishing media	
Suitable Extinguishing Media	Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.
Unsuitable extinguishing media	Full water jet.
5.2. Special hazards arising from t	he substance or mixture
Specific hazards arising from the chemical	Thermal decomposition can lead to release of irritating gases and vapours.
Hazardous combustion products	Carbon oxides. Carbon monoxide. Carbon dioxide (CO2). Silicon dioxide.
5.3. Advice for firefighters	
Special protective equipment and precautions for fire-fighters	Wear self contained breathing apparatus for fire fighting if necessary.
SECTION 6: Accidental relea	ase measures
6.1. Personal precautions, protect	ive equipment and emergency procedures
Personal precautions	Use personal protective equipment as required. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing.
For emergency responders	Use personal protection recommended in Section 8.
6.2. Environmental precautions	
Environmental precautions	Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section 12 for additional Ecological Information.
6.3. Methods and material for cont	ainment and cleaning up
Mathada far cantainmant	
Methods for containment	Do not scatter spilled material with high pressure water streams.
Methods for cleaning up	
	Do not scatter spilled material with high pressure water streams.
Methods for cleaning up	Do not scatter spilled material with high pressure water streams. Take up mechanically, placing in appropriate containers for disposal.
Methods for cleaning up Prevention of secondary hazards	Do not scatter spilled material with high pressure water streams. Take up mechanically, placing in appropriate containers for disposal.
Methods for cleaning up Prevention of secondary hazards 6.4. Reference to other sections	Do not scatter spilled material with high pressure water streams. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated objects and areas thoroughly observing environmental regulations. See section 8 for more information. See section 13 for more information.
Methods for cleaning up Prevention of secondary hazards <u>6.4. Reference to other sections</u> Reference to other sections	Do not scatter spilled material with high pressure water streams. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated objects and areas thoroughly observing environmental regulations. See section 8 for more information. See section 13 for more information.
Methods for cleaning up Prevention of secondary hazards 6.4. Reference to other sections Reference to other sections SECTION 7: Handling and sections	Do not scatter spilled material with high pressure water streams. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated objects and areas thoroughly observing environmental regulations. See section 8 for more information. See section 13 for more information.

7.2. Conditions for safe storage, including any incompatibilities

ARC MS-11 ADH & SEAL 290ML WHITE 12 Supercedes Date: 28-Dec-2021

Storage Conditions	Protect from moisture. Keep away from food, drink and animal feedingstuffs.				
Recommended storage temperature	Keep at temperatures between 10 and 35 °C.				
7.3. Specific end use(s)					
<b>Specific use(s)</b> Adhesives and/or sealants.					
Risk Management Methods (RMM)	The information required is contained in this Safety Data Sheet.				
Other information	Observe technical data sheet.				
SECTION 8: Exposure controls/personal protection					

## 8.1. Control parameters

Exposure Limits

This product contains titanium dioxide in a non-respirable form. Inhalation of titanium dioxide is unlikely to occur from exposure to this product Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing

Chemical name	European Union	Ireland	United Kingdom
Diisononyl phthalate	-	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>
28553-12-0		STEL: 15 mg/m <sup>3</sup>	STEL: 15 mg/m <sup>3</sup>
Methyl alcohol	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm
67-56-1	TWA: 260 mg/m <sup>3</sup>	TWA: 260 mg/m <sup>3</sup>	TWA: 266 mg/m <sup>3</sup>
	*	STEL: 600 ppm	STEL: 250 ppm
		STEL: 780 mg/m <sup>3</sup>	STEL: 333 mg/m <sup>3</sup>
		Sk*	Sk*
Titanium dioxide	-	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>
13463-67-7		TWA: 4 mg/m <sup>3</sup>	TWA: 4 mg/m <sup>3</sup>
		STEL: 30 mg/m <sup>3</sup>	STEL: 30 mg/m <sup>3</sup>
		STEL: 12 mg/m <sup>3</sup>	STEL: 12 mg/m <sup>3</sup>
Dioctyltinbis(acetylacetonate)	-	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>
54068-28-9		STEL: 0.2 mg/m <sup>3</sup>	STEL: 0.2 mg/m <sup>3</sup>
			Sk*

## Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)						
Diisononyl phthalate (28553-12-0)						
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor			
worker Long term Systemic health effects	Inhalation	51.72 mg/m³				
worker Long term Systemic health effects	Dermal	366 mg/kg bw/d				

Trimethoxyvinylsilane (2768-02-7)					
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
worker Systemic health effects Long term	Inhalation	27,6 mg/m³			
worker Systemic health effects Long term	Dermal	3,9 mg/kg bw/d			

## Titanium dioxide (13463-67-7)

## ARC MS-11 ADH & SEAL 290ML WHITE 12 Supercedes Date: 28-Dec-2021

Туре		Derived No Effect Level (DNEL)	Safety factor
worker	Inhalation	10 mg/m³	
Long term		-	
Local health effects			

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Systemic health effects Long term	Inhalation	35.5 mg/m³	
worker Systemic health effects Long term	Dermal	5 mg/kg bw/d	

Dioctyltinbis(acetylacetonate) (54068-28-9)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Long term Systemic health effects worker	Dermal	0.07 mg/kg bw/d	
Long term Systemic health effects worker	Inhalation	84 mg/m³	
Short term Systemic health effects worker	Inhalation	84 mg/m³	
Long term Short term Local health effects worker	Inhalation	0.091 mg/m <sup>3</sup>	

N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine (3069-29-2)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Long term Systemic health effects	Inhalation	12 mg/m <sup>3</sup>	
worker Long term Systemic health effects	Dermal	1.7 mg/kg bw/d	

Derived No Effect Level (DNEL)			
Trimethoxyvinylsilane (2768	-02-7)		
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Systemic health effects Long term	Inhalation	18,9 mg/m³	
Consumer Systemic health effects Long term	Dermal	7,8 mg/kg bw/d	
Consumer Systemic health effects Long term	Oral	0,3 mg/kg bw/d	

Titanium dioxide (13463-67-7)			
Type Exp	oosure route	Derived No Effect Level	Safety factor

## ARC MS-11 ADH & SEAL 290ML WHITE 12 Supercedes Date: 28-Dec-2021

		(DNEL)	
Consumer	Oral	700 mg/kg bw/d	
Long term			
Systemic health effects			

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Systemic health effects Long term	Oral	2.5 mg/kg bw/d	
Consumer Systemic health effects Long term	Inhalation	8.7 mg/m³	
Consumer Systemic health effects Long term	Dermal	2.5 mg/kg bw/d	

N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine (3069-29-2)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Long term Systemic health effects	Inhalation	2.9 mg/m³	
Consumer Long term Systemic health effects	Dermal	0.83 mg/kg bw/d	
Consumer Long term Systemic health effects	Oral	0.83 mg/kg bw/d	

## Predicted No Effect Concentration No information available. (PNEC)

Trimethoxyvinylsilane (2768-02-7)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0.34 mg/l
Marine water	0.034 mg/l
Microorganisms in sewage treatment	110 mg/l
Titanium dioxide (13463-67-7)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Marine water	0.0184 mg/l
Freshwater sediment	1000 mg/kg
Freshwater	0.184 mg/l
Marine sediment	100 mg/kg
Soil	100 mg/kg
Microorganisms in sewage treatment	100 mg/l
Freshwater - intermittent	0.193 mg/l
N-(3-(trimethoxysilyl)propyl)ethylenediamine (1	760-24-3)
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0.062 mg/l
Marine water	0.0062 mg/l
Sewage treatment plant	25 mg/l

Dioctyltinbis(acetylacetonate) (54068-28-9)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	26 μg/l

## ARC MS-11 ADH & SEAL 290ML WHITE 12

Supercedes Date: 28-Dec-2021

Marine water	2.6 μg/l	
Freshwater - intermittent	260 µg/l	
Sewage treatment plant	1 mg/l	
Freshwater sediment	0.155 mg/kg dry weight	
Marine sediment	0.0155 mg/kg dry weight	
Soil	0.0158 mg/kg dry weight	

N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine (3069-29-2)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0.062 mg/l
Marine water	0.006 mg/l
Sewage treatment plant	25 mg/l
Freshwater sediment	0.24 mg/kg dry weight
Marine sediment	0.024 mg/kg dry weight
Soil	0.01 mg/kg dry weight

## 8.2. Exposure controls

Engineering controls	Ensure adequate ventilation, especially in confined areas.
Personal protective equipment	
Eye/face protection	Wear safety glasses with side shields (or goggles). Eye protection must conform to standard EN 166
Hand protection	Wear suitable gloves. Recommended Use:. Neoprene <sup>™</sup> . Nitrile rubber. Butyl rubber. Glove thickness > 0.7mm. The breakthrough time for the mentioned glove material is in general greater than 480 min. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. Gloves must conform to standard EN 374
Skin and body protection	None under normal use conditions.
Respiratory protection	In case of inadequate ventilation wear respiratory protection. Wear a respirator conforming to EN 140 with Type A/P2 filter or better. Ensure adequate ventilation, especially in confined areas.
Recommended filter type:	Organic gases and vapours filter conforming to EN 14387. White. Brown.
Environmental exposure controls	Do not allow upcontrolled discharge of product into the environment

**Environmental exposure controls** Do not allow uncontrolled discharge of product into the environment.

## **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

9.1. Information on pasic physical		
Physical state	Solid	
Appearance	Paste	
Colour	White	
Odour	Characteristic.	
Odour threshold	No information available	
Deserved	Walter a	Demonster Mathead
Property	Values	Remarks • Method
Melting point / freezing point	No data available	None known
Initial boiling point and boiling	No data available	None known
range		
Flammability	Not applicable for liquids .	
Flammability Limit in Air		None known
Upper flammability or explosive	No data available	
limits		
Lower flammability or explosive	No data available	
limits		
Flash point	> 60 °C	
Autoignition temperature	No data available	None known
Decomposition temperature		None known
pH		
pH (as aqueous solution)	No data available	None known
Kinematic viscosity	> 21 mm²/s	
Dynamic viscosity	No data available	
Dynamic viscosity		

ARC MS-11 ADH & SEAL 290ML WHITE 12 Supercedes Date: 28-Dec-2021 Revision date 03-Nov-2022 Revision Number 1.01

Water solubility	No data available. Product cures	with
	moisture	
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Vapour pressure	No data available	None known
Relative density	No data available	None known
Bulk Density	No data available	
Liquid Density	1.58 g/cm <sup>3</sup>	
Relative vapour density	No data available	None known
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	
9.2. Other information		
Solid content (%)	No information available	
VOC content	No data a	available
VOC content	no uata a	
9.2.1 Information with regards to	nhysical bazard classes	

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics No information available

## SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Product cures with moisture. Reactivity 10.2. Chemical stability Stability Stable under normal conditions. **Explosion data** Sensitivity to mechanical None. impact Sensitivity to static discharge None. 10.3. Possibility of hazardous reactions Possibility of hazardous reactions None under normal processing. 10.4. Conditions to avoid Conditions to avoid Product cures with moisture. Protect from moisture. Exposure to air or moisture over prolonged periods. Do not freeze. Keep away from open flames, hot surfaces and sources of ignition. 10.5. Incompatible materials Incompatible materials None known based on information supplied. 10.6. Hazardous decomposition products None under normal use conditions. Small amounts of methanol (CAS 67-56-1) are Hazardous decomposition formed by hydrolysis and released upon curing. products

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

**Product Information** 

Inhalation	Based on available data, the classification criteria are not met.
Eye contact	Based on available data, the classification criteria are not met.
Skin contact	Based on available data, the classification criteria are not met. May cause sensitisation in susceptible persons.
Ingestion	Based on available data, the classification criteria are not met.

## Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Acute toxicity

## Numerical measures of toxicity

## The following values are calculated based on chapter 3.1 of the GHS document ATEmix (inhalation-vapour) 876.6455 mg/l

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Diisononyl phthalate	>9750 mg/kg (Rattus)	>3160 mg/Kg (Oryctolagus	>4.4 mg/L (Rattus) 4 h
		cuniculus)	
Trimethoxyvinylsilane	LD50 = 7120 -7236 mg/kg	= 3540 mg/kg (Oryctolagus	LC50 (4hr) 16.8 mg/l (Rattus)
	(Rattus) OECD 401	cuniculus)	OECD TG 403
Titanium dioxide	Titanium dioxide >10000 mg/kg (Rattus)		= 5.09 mg/L (Rattus) 4 h
N-(3-(trimethoxysilyl)propyl)eth	=2295 mg/kg (Rattus)	>2000 mg/Kg (Rattus)	LC50 4H (Aerosol)1.5 - 2.44
ylenediamine			mg/L air
Dioctyltinbis(acetylacetonate)	LD50 =2500 mg/kg (Rattus)	LD50 >2000 mg/kg (Rattus)	= 5.1 mg/L (Rat) 4 h
N-[3-(Dimethoxymethylsilyl)pro	=200 - 2000 mg/Kg (Rattus)	>5000 mg/Kg (Oryctolagus	> 5.2 mg/L (Rat)4 h
pyl]-ethylenediamine	(OECD 401)	cuniculus)	
		(OECD 402)	

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

## Trimethoxyvinylsilane (2768-02-7)

Species	Exposure route	Effective dose	Exposure time	Results
Rabbit	Dermal		24 hours	Non-irritant

### Titanium dioxide (13463-67-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404:	Rabbit	Dermal			Non-irritant
Acute Dermal					
Irritation/Corrosion					

 N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine (3069-29-2)

 Method
 Species

 Exposure route
 Effective dose

 Exposure time
 Results

## ARC MS-11 ADH & SEAL 290ML WHITE 12

Supercedes Date: 28-Dec-2021

OECD Test No. 404:	Rabbit	Dermal			irritant	
Acute Dermal						
Irritation/Corrosion						

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit	еуе		24 hours	Non-irritant
Acute Eye					
Irritation/Corrosion					

Titanium dioxide (13463-67-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit	Eye			Non-irritant
Acute Eye					
Irritation/Corrosion					

N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine (3069-29-2)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit				Eye Damage
Acute Eye					
Irritation/Corrosion					

Respiratory or skin sensitisation

OECD Test No. 406: Skin Sensitisation. No sensitisation responses were observed. No classification is proposed, based on conclusive negative data. May cause sensitisation in susceptible persons.

Method	Species	Exposure route	Results
OECD Test No. 406: Skin	Guinea pig	Dermal	No sensitisation responses
Sensitisation			were observed
OECD Test No. 406: Skin	Guinea pig	Dermal	No sensitisation responses
Sensitisation			were observed

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Exposure route	Results
OECD Test No. 406: Skin	Guinea pig	Dermal	sensitising
Sensitisation, Buehler test	-		-

## Titanium dioxide (13463-67-7)

Method	Species	Exposure route	Results
OECD Test No. 406: Skin	Guinea pig	Dermal	Not a skin sensitiser
Sensitisation			
OECD Test No. 429: Skin	Mouse	Dermal	Not a skin sensitiser
Sensitisation: Local Lymph Node			
Assay			

### Dioctyltinbis(acetylacetonate) (54068-28-9)

Method	Species	Exposure route	Results
OECD Test No. 429: Skin		Dermal	> 5 % sensitising
Sensitisation: Local Lymph Node			-
Assay			

N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine (3069-29-2)

Method	Species	Exposure route	Results		
OECD Test No. 406: Skin	Guinea pig		Sensitizing		
Sensitisation					

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

## ARC MS-11 ADH & SEAL 290ML WHITE 12 Supercedes Date: 28-Dec-2021

OECD Test No. 471: Bacterial Reverse	in vitro		
Mutation Test		Not mutagenic	
Carcinogenicity Ba	ased on available data, the class	sification criteria are not met.	
Reproductive toxicity B	ased on available data, the class	sification criteria are not met.	
Trimethoxyvinylsilane (2768-02-7)			
Method	Species	Results	

Method	Species	Results	
OECD Test No. 422: Combined Repeated Dose	Rat	Not Classifiable	
Toxicity Study with the			
Reproduction/Developmental Toxicity Screening			
Test			

STOT - single exposure

**Component Information** 

Based on available data, the classification criteria are not met.

#### STOT - repeated exposure

Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 413:	Rat	Inhalation vapour		90 days	0.058 NOAEL
Sub-chronic Inhalation					
Toxicity: 90-day Study					

Aspiration hazard

Based on available data, the classification criteria are not met.

## 11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

**Endocrine disrupting properties** 

11.2.2. Other information

Other adverse effects

No information available.

## **SECTION 12: Ecological information**

## 12.1. Toxicity

## Ecotoxicity

Chemical name	Algae/aquatic	Fish	Toxicity to	Crustacea	M-Factor	M-Factor
	plants		microorganisms			(long-term)
Diisononyl phthalate	EC50: >500mg/L	LC50 96 h > 100	-	EC50: >500mg/L		
28553-12-0	(72h,	mg/L		(48h, Daphnia		
	Desmodesmus	(Brachydanio		magna)		
	subspicatus)	rerio semi-static)		EC50:		

## ARC MS-11 ADH & SEAL 290ML WHITE 12 Supercedes Date: 28-Dec-2021

## Revision date 03-Nov-2022 Revision Number 1.01

	EC50: >1.8mg/L			>0.06mg/L (48h,	
	(96h,			Daphnia magna)	
	Pseudokirchneri				
	ella subcapitata)				
Trimethoxyvinylsilane	EC 50 (72h) >	LC50 (96h) =	-	EC50(48hr)	
2768-02-7	957 mg/l	191 mg/l		168.7mg/l	
	(Desmodesmus	(Oncorhynchus		(Daphnia	
	subspicatus)	mykiss)		magna)	
	EU Method C.3				
Titanium dioxide	LC50 (96h)	-	-	-	
13463-67-7	>10000 mg/l				
	(Cyprinodon				
	variegatus)				
	OECD 203				
N-(3-(trimethoxysilyl)pr	-	LC50 (96H)	-	EC50 (48h)	
opyl)ethylenediamine		=597 mg/L		=81mg/L	
1760-24-3		(Danio		Daphnia magna	
		rerio)Semi-static		Static	
Dioctyltinbis(acetylacet	-	LC50 (96h) =86	-	EC50 (48h)	
onate)		mg/L (Static)		=58.6 mg/L	
54068-28-9				(Daphnia	
				magna)	

## 12.2. Persistence and degradability

## Persistence and degradability

No information available.

### Trimethoxyvinylsilane (2768-02-7)

Method	Exposure time	Value	Results		
OECD Test No. 301F: Ready	28 days	BOD	51 % Not readily		
Biodegradability: Manometric			biodegradable		
Respirometry Test (TG 301 F)			-		

### 12.3. Bioaccumulative potential

## **Bioaccumulation**

## **Component Information**

Chemical name	Partition coefficient
Diisononyl phthalate	9.7
Trimethoxyvinylsilane	1.1
N-(3-(trimethoxysilyl)propyl)ethylenediamine	-0.3

## 12.4. Mobility in soil

Mobility in soil No infe

No information available.

## 12.5. Results of PBT and vPvB assessment

## PBT and vPvB assessment

Chemical name	PBT and vPvB assessment
Diisononyl phthalate	The substance is not PBT / vPvB PBT assessment does
	not apply
Trimethoxyvinylsilane	The substance is not PBT / vPvB
Titanium dioxide	The substance is not PBT / vPvB PBT assessment does
	not apply
N-(3-(trimethoxysilyl)propyl)ethylenediamine	The substance is not PBT / vPvB
Dioctyltinbis(acetylacetonate)	The substance is not PBT / vPvB
N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine	The substance is not PBT / vPvB

ARC MS-11 ADH & SEAL 290ML WHITE 12 Supercedes Date: 28-Dec-2021 Revision date 03-Nov-2022 Revision Number 1.01

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

## SECTION 13: Disposal considerations

## 13.1. Waste treatment methods

Waste from residues/unused products	Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.
Contaminated packaging	Handle contaminated packages in the same way as the product itself.
European Waste Catalogue	08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

## **SECTION 14: Transport information**

## Land transport (ADR/RID)

14.1 UN number or ID number	Not regulated		
14.2 Proper Shipping Name	Not regulated		
14.3 Transport hazard class(es)	Not regulated		
14.4 Packing group	Not regulated		
14.5 Environmental hazards	Not applicable		
14.6 Special Provisions	None		
IMDG			
14.1 UN number or ID number	Not regulated		
14.2 Proper Shipping Name	Not regulated		
14.3 Transport hazard class(es)	Not regulated		
14.4 Packing group	Not regulated		
14.5 Marine pollutant	NP		
14.6 Special Provisions	None		
14.7 Maritime transport in bulk	Not applicable		
according to IMO instruments			
Air transport (ICAO-TI / IATA-DGR)			
14.1 UN number or ID number	Not regulated		
14.2 Proper Shipping Name	Not regulated		
14.3 Transport hazard class(es)	Not regulated		
14.4 Packing group	Not regulated		

## Section 15: REGULATORY INFORMATION

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Not applicable

None

#### European Union

14.5 Environmental hazards

14.6 Special Provisions

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents

### ARC MS-11 ADH & SEAL 290ML WHITE 12 Supercedes Date: 28-Dec-2021

at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

## Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

#### SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	CAS No	Restricted substance per REACH Annex XVII
Diisononyl phthalate	28553-12-0	52[a].
Dioctyltinbis(acetylacetonate)	54068-28-9	20.

52. Not to be used in toys or childcare articles above 0.1% which can be placed in the mouth by children.

#### Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

#### **Export Notification requirements**

This product contains substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals

Chemical name	European Export/Import Restrictions per (EC) 689/2008 - Annex	
	Number	
Dioctyltinbis(acetylacetonate)	l.1	

## Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

#### **Persistent Organic Pollutants**

Not applicable

### National regulations

## 15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

## **SECTION 16: Other information**

#### Key or legend to abbreviations and acronyms used in the safety data sheet

### Full text of H-Statements referred to under section 3

H226 - Flammable liquid and vapour H302 - Harmful if swallowed

H315 - Causes skin irritation

ARC MS-11 ADH & SEAL 290ML WHITE 12 Supercedes Date: 28-Dec-2021 Revision date 03-Nov-2022 Revision Number 1.01

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H332 - Harmful if inhaled

H335 - May cause respiratory irritation

H371 - May cause damage to organs

## Notes assigned to an entry

**Note V:** If the substance is to be placed on the market as fibres (with diameter <  $3 \mu m$ , length >  $5 \mu m$  and aspect ratio > 3:1) or particles of the substance fulfilling the WHO fibre criteria or as particles with modified surface chemistry, their hazardous properties must be evaluated in accordance with Title II of this Regulation, to assess whether a higher category (Carc. 1B or 1A) and/or additional routes of exposure (oral or dermal) should be applied

**Note W:** It has been observed that the carcinogenic hazard of this substance arises when respirable dust is inhaled in quantities leading to significant impairment of particle clearance mechanisms in the lung

### Notes relating to the classification and labelling of mixtures

**Note 10:** The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter  $\leq$  10 µm

SVHC: Substances of Very High Concern for Authorisation:

PBT: Persistent, Bioaccumulative, and Toxic (PBT) Chemicals

vPvB: Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE: Specific target organ toxicity - Repeated exposure

STOT SE: Specific target organ toxicity - Single exposure

EWC: European Waste Catalogue

LOW: List of Wastes (see http://ec.europa.eu/environment/waste/framework/list.htm)

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IATA: International Air Transport Association

ICAO: ICAO-TI: Technical Instructions for the Safe Transport of Dangerous Goods by Air

IMDG: International Maritime Dangerous Goods

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail

#### Legend SECTION 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
AGW	Occupational exposure limit value	BGW	Biological limit value
Ceiling	Maximum limit value	*	Skin designation

Classification procedure				
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used			
Acute oral toxicity	Calculation method			
Acute dermal toxicity	Calculation method			
Acute inhalation toxicity - gas	Calculation method			
Acute inhalation toxicity - Vapour	Calculation method			
Acute inhalation toxicity - dust/mist	Calculation method			
Skin corrosion/irritation	Calculation method			
Serious eye damage/eye irritation	Calculation method			
Respiratory sensitisation	Calculation method			
Skin sensitisation	On basis of test data			
mutagenicity	Calculation method			
Carcinogenicity	Calculation method			
Reproductive toxicity	Calculation method			
STOT - single exposure	Calculation method			
STOT - repeated exposure	Calculation method			
Acute aquatic toxicity	Calculation method			
Chronic aquatic toxicity	Calculation method			
Aspiration hazard	Calculation method			
Ozone	Calculation method			

### Key literature references and sources for data used to compile the SDS

European Food Safety Authority (EFSA)

European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA\_RAC)

ARC MS-11 ADH & SEAL 290ML WHITE 12 Supercedes Date: 28-Dec-2021 Revision date 03-Nov-2022 Revision Number 1.01

European Chemicals Agency (ECHA) (ECHA\_API) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) International Uniform Chemical Information Database (IUCLID) National Institute of Technology and Evaluation (NITE) NIOSH (National Institute for Occupational Safety and Health) Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme Organisation for Economic Co-operation and Development Screening Information Data Set **Prepared By** Product Safety & Regulatory Affairs **Revision date** 03-Nov-2022 When working with hazardous materials, regular training of operators is required by law **Training Advice Further information** No information available

#### Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**