

Arc Powder Mortar Tone Brown

Iron Oxide Blend

#### Safety Data Sheet

Date of Issue: - Sept 2021

## SECTION 1. Identification of Substance and and Company Information

Iron Oxide Blend **Product Group:** n/a - mixture (See Section3 for Composition) **REACH Registration No(s).** CCBR001 **Product Code:** Arc Building Products, IDA Business & Tech Park, Ballynattin, Arklow, Co. Wicklow, Supplier Name: Ireland. E-Mail: sales@arcbuildingproducts.ie **Emergency Telephone :** +353 (0)402 32370 (Office Hours Only)s) Field of Application: Cement and Cementitious based products.

# **SECTION 2. Hazards Identification**

2.1 Classification of the substance or mixture:

Regulation (EC) No. 1272/2008[CLP/GHS] Directive 67/548/EEC[DSD]

2.2 Label Elements:

Hazard Pictograms	Not Applicable.
Signal Word	No signal word.
Hazard Statements	No Known significant effects or critical hazards.

#### **Precautionary Statements:**

Prevention	Not applicable
Response	Not applicable
Storage	Not applicable
Disposal	Not applicable

2.3 Other Hazards:

Other Hazards which do not result in classification Handling and/or processing may generate dust which can cause mechanical irritation of the eyes, skin, nose and throat.

Not Classified Not Classified

## SECTION 3. Composition/ Information on Ingredients

#### Product Definition (REACH):

n/a - mixture (See Section3 for Composition)

Component(s):	CAS No.(s)	Reg(EC) No. 1272/2008 [CLP/GHS]	REACH Number	Listed EH40/ 2005	Weight (%)
Calcium Carbonate (Limestone)	1317-65-3	Not Classified	Exempt Article 2(7)b	Yes	72-73
Triiron Tetraoxide	1317-61-9	Not Classified	01-2119457646-28	No	<3
Diiron Trioxide	1309-37-1	Not Classified	01-2119457614-35	No	14.5-18.5
Iron Hydroxide Oxide Yellow	51274-00-1	Not Classified	01-2119457554-33	No	4-8
n/a	n/a	n/a	n/a	n/a	0
n/a	n/a	n/a	n/a	n/a	0
n/a	n/a	n/a	n/a	n/a	0
n/a	n/a	n/a	n/a	n/a	0

Within the present knowledge of the supplier this product does not contain any hazardous ingredients in quantities requiring reporting in this section, in accordance with EU or national regulations.

SECTION 4. First Aid	
4.1 Description of First Aid Measures	
Inhalation:	Ν

Move exposed person to fresh air. Keep casualty warm and resting. If not breathing commence appropriate first aid. If unconscious place in the recovery position and seek medical help. Maintain an open airway - loosen tight clothing. Seek medical advice if symptoms occur.

Ingestion:

Skin Contact:

No special measures required.

No special measures required.



Eye Contact:	Flush with copious amounts of water for at least 10 minutes. Seek medical advice if irritation persists.
4.2 Most important symptoms and eff	ects, both acute and delayed See Section 11 for detailed information on health effects and symptoms.
4.3 Indication of any immediate medi	cal attention and special treatments needed. See Section 11 for detailed information on health effects and symptoms.
SECTION 5. Firefighting Measu 5.1 Extinguishing media	ires
Suitable:	Foam, Carbon Dioxide, Nitrogen, Dry Chemical or Water Spray (Fog). Water Fog is recommended.
Unsuitable:	Do not use a solid stream of water as this may scatter and spread fire.
5.2 Special Hazards from the Product Hazards	None Known
<u>Hazardous Combustion</u> <u>Products</u>	None Known
5.3 Advice for Firefighters Special Precautions	Not applicable
<u>Specific Protective</u> Equipment	Fire Fighters should wear suitable protective equipment and self contained breathing apparatus (SCBA) with a full face piece operated in positive pressure mode.
SECTION 6. Accidental Release	e Measures
6.1 Personal precautions, Protective Equipment and Emergency Procedures.	Take no action if personal safety is at risk or if untrained. Do not allow unnecessary or untrained personnel to enter the area. Avoid breathing dust. Provide adequate ventilation and wear appropriate protective equipment. Spilt product may represent a slip hazard
6.2 Environmental Precautions	Avoid dispersal, runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution.
6.3 Methods and materials for contair <u>Small Spill</u>	ment and clean up. Move containers from the area. Vacuum or sweep up material and place in an appropriate container. Dispose of material through an approved waste disposal contractor.
<u>Large Spill</u>	Move containers from the area. Avoid dispersal, runoff and contact with soil, waterways, drains and sewers. Vacuum or sweep up material and place in an appropriate container. Dispose of material through an approved waste disposal contractor.
6.4 Reference to Other Sections	Section 1 - Emergency Contact Details Section 8 - Personal Protective Equipment Section 13 - Additional waste Treatment Information.

# **SECTION 7. Handling and Storage**

7.1 Precaution for Safe Handling No special measures required



7.2. Conditions for Safe Storage inc. any Incompatibilities Keep in a dry, cool, well ventilated area. Do not store together with acids. Keep in properly labelled containers.

7.	3	Sp	ecific	End	Use	(s)
----	---	----	--------	-----	-----	-----

**<u>Recommendations</u>** No specific recommendations.

Sector Specific Solutions Not available.

## **SECTION 8. Exposure Controls/ Personal Protection**

#### 8.1 Control Parameters

	Inhalable 8HrTWA/			Occupational Exposure Limits:Ref EH40/2005 (United Kingdom(UK),
Ingredient Name	mg/m <sup>3</sup>	STEL/ mg/m <sup>3</sup>	mg/m <sup>3</sup>	8/2007
Calcium Carbonate	10.0	n/a	4	
Iron Oxide (Not Listed - Suggested Values)	10.0	n/a	4	
-	-	-	0	
-	-	-	-	
Conclusion/Summary	10.0			]

#### **Derived Effect Levels**

Based on: Iron Oxide Conclusion/ Summary	Type DNEL DNEL DNEL DNEL Not Available	Exposure Short Term Inhalation Long Term Inhalation Long Term Inhalation	Value/ mg/m <sup>3</sup> not available not available not available	Population Workers Workers Consumers
Predicted Effect Concentrations				
Ingredient Name	Туре	Compartment Detail	Value	
Based on:	PNEC	Soil	-	
Iron Oxide	PNEC PNEC	Sewage Treatment Plant Marine Water Sediment	-	
	PNEC	Marine Water Sediment	-	
	PNEC	Intermittent Release		
	PNEC	Fresh Water Sediment	_	
	PNEC	Fresh Water Sediment	-	
<u>Conclusion/ Summary:</u> <u>Recommended Monitoring</u> procedures	biological monitoring may procedure and/or the nece European Standard EN689	gredients with exposure limits then be required to determine the effect essity to use repiratory protective e for methods for the assessment of documents should be consulted for	iveness of the ventilation, quipment. Reference shou exposure by inhalation to	control ld be made to chemical
8.2. Exposure Controls				
Occupational Exposure Controls				
Technical Measures	dust, fumes, gas, vapours	on to maintain below occupational e or mist use process enclosures, loc ep worker exposure below any reco	al exhaust ventilation or o	ther

## Personal Protection Limits

**Respiratory Protection** 

The use of suitable approved dust masks is recommended and should always be used where exposure is likely to exceed any specified exposure limits.



#### Hand Protection Wear protective gloves to prevent soiling. Barrier cream can be used before handling this product. Hands and exposed skin should be washed with mild soap and water. **Eye Protection** Safety eyewear, complying with an approved standard, should be used where a risk assessment indicates this is necessary to avoid splashes, mists, gases or dusts. If operating conditions cause high dust concentrations to be created use dust goggles. Skin Protection Protective equipment should be selected based on the tasks involved and the risk assessment of the process and should be approved by a specialist. Clothing should be changed daily and not allowed to leave the workplace. **Hygiene Measures** Handle in accordance with good industrial hygiene and safety practices. Wash hands, forearms and face after handling chemical products, before eating smoking or using the lavatory and shower at the end of each working day. Contaminated clothing should be washed prior to re-use. Eyewash stations and emergency showers should be available close to the working location. Environmental Exposure Control-Emissions from ventilation or work process equipment should be checked to ensure they comply with **Technical Measures** the requirements of environmental protection legislation. In some cases fume scrubbers, filters or engineered modifications to the process equipment will be necessary to reduce emissions to an acceptable level.

. .

## **SECTION 9.** Physical and Chemical Properties

#### **General Information**

Appearance	Physical State	Powder
	Colour	Brown
	Odour	Odourless
	Cofety and Environmental Information	

# Important Health, Safety and Environmental Information. pH 4 - 8 Melting Point > 1000°C Bulk Density 0.3 - 1.2 g/cm<sup>3</sup> Solubility <0.1 g/l (water, pH6)</td>

## **SECTION 10. Stability and Reactivity**

10.1 Reactivity	Will react vigorously with acids
10.2 Chemical Stability	The product is stable.
10.3 Hazardous Reactions	Under normal conditions of handling and use hazardous reactions will not occur.
10.4 Conditions to Avoid	Keep away from acids.
10.5 Incompatible Materials	Acids
10.6 Hazardous Decomposition Products	Carbon Dioxide in contact with acids.

### **SECTION 11.** Toxicological Information

Potential Acute Health Effects	Exposure to airborne concentrations in excess of statutory or recommended exposure limits may cause irritation of the eyes
Acute Toxicity Based on:	Iron Oxide
Oral LD50	LD50/ Oral, Rat > 5000mg/kg
Inhalation LC50 Inhalation Dusts and Mists	No data available.



Dermal LD50	No data available.
STOT - Single Exposure	No data available.
Irritation/Corrosion Based on:	Iron Oxide
Skin	Non-irritating.
Eyes	Non-irritating.
Respiratory	Non-irritating.
Sensitization Based on:	Iron Oxide
Skin	Not sensitizing
Respiratory	Not sensitizing
Potential Chronic Health Effects	
Mutagenicity Based on:	Iron Oxide No data available.
Chronic Effects:	Repeated or prolonged inhalation of dust may lead to chronic repiratory irritation.
SECTION 12. Ecological Inform	nation
Aquatic Toxicity Based on:	Iron Oxide
LC50 (96hrs)	> 1000mg/l. 96 hrs, Fish (Leuciscus idus)
EC50 (3hrs)	-
Environmental Fate Based on:	Iron Oxide
Mobility	No data available
Bioaccumulation	No data available
Persistence/ Degradability	Not expected to degrade
PBT & vPvB Assessment	This substance does not meet the criteria for PBT of vPvB
Other Adverse Effects	No other data available
SECTION 13. Disposal Conside	erations
<u>Product</u>	
Methods of Disposal	Examine possibilities of re-use. Product residues and contaminated containers should be sealed, labelled and disposed of or recycled in accordance with relevant regulations. For larger quantities contact the supplier. The recipient of any waste should be notified of any possible hazards. Within the EC the appropriate code from the European Waste List (EWL) should be used.
Hazardous Waste	Within the present knowledge of the supplier this product is not regarded as hazardous waste as defined by EU Directive 91/689/EEC
SECTION 14. Transport Inform	nation

	ADR/RID	AND/ADNR	IMDG
UN No.	-	-	-
UN Proper Shipping Name	-	-	-
Transport Hazard Class(es)	-	-	-



#### Marks

Packing Group	-	-	-		
Environmental Hazards	No	No	No		
Special Precautions for user/ Additional Information	Not Regulated	Not Regulated	Not Regulated		
SECTION 15. Regulatory Information					
EU Regulation (EC) No. 1907/2006 (REACH)					
Annex XVII - Restrictions on manufacture, placing on the market,andf use of certain dangerous substances, mixture and articles.		Not Applicable			
Annex XIV - List of substances subject to authorisation - Substances of very high concern.		None of the component	s are listed.		

## **SECTION 16. Other Information**

Date of Issue	01/09/2021	
Date of Previous Issue	28/07/2021	
Issue Number		3
Review Date	01/09/2022	

This information whether verbal, in writing or by way of trials is given in good faith but without warranty and this also applies where proprietary rights of third parties are involved. Our advice does not release you from your obligation to verify the information currently provided, especially that contained in safety data and technical data sheets, and to test our products as to their suitability for the intended process and uses. The application, use and processing of our products and the products manufactured by you on the basis of our technical advice are beyond our control and therefore entirely your own repsonsibility. Our products are sold in accordance with the current version of our Conditions of Sale. application, use and processing of our products and the products manufactured by you on the basis of our technical advice are beyond our control application, use and processing of our products and the products manufactured by you on the basis of our technical advice are beyond our control application, use and processing of our products and the products manufactured by you on the basis of our technical advice are beyond our control application, use and processing of our products and the products manufactured by you on the basis of our technical advice are beyond our control